# SNPing the Cost and Proportional-bias error for Genetic Identification of Chinook Salmon Life Histories from Upstream Rivers to the San Francisco Bay Estuary

Michael A Banks

# **Public Comments**

No public comments were received for this proposal.

# **Technical Synthesis Panel Review**

# **Proposal Title**

#0240: SNPing the Cost and Proportional-bias error for Genetic Identification of Chinook Salmon Life Histories from Upstream Rivers to the San Francisco Bay Estuary

Final Panel Rating	
inadequate	

# **Technical Synthesis Panel (Primary) Review**

## TSP Primary Reviewer's Evaluation Summary And Rating:

This study seeks to apply a new genetic marker type (single nucleotide polymorphism (SNPs)) towards the task of reducing the cost and errors previously associated with microsatellites to identify Chinnok runs in the Central Valley. Effective discrimination among these runs will allow for targeted management, protection and recovery efforts.

#### **Additional Comments:**

The reviews ranged from poor to very good. The reviewers were torn in that the idea was good but very poorly communicated. The proposed science was seen as potentially valuable, but a poor and unclear writing style was seen as a huge hindrance to understanding the study objectives and methods. Overall, the proposal was too unclear to warrant funding.

This study seeks to apply a new genetic marker type (single nucleotide polymorphism (SNPs)) towards the task of reducing the cost and errors previously associated with microsatellites to identify Chinnok runs in the Central Valley. Effective discrimination among these runs will allow for targeted management, protection and recovery efforts.

#### Technical Synthesis Panel Review

# **Technical Synthesis Panel (Discussion) Review**

## **TSP Observations, Findings And Recommendations:**

SNPing the cost and proportional-bias error for genetic identification of Chinook salmon life histories from upstream rivers to the San Francisco Bay Estuary

The primary and secondary reviewers and panel all ranked this proposal as inadequate. While introducing an interesting and potentially new approach for studying fish life histories and distinguishing salmon subpopulations, the proposal was very insufficiently designed and very poorly communicated.

The panel recognized the inconsistencies in the proposal may have resulted from a mistake in file submission. Final Ranking: Inadequate

proposal title: SNPing the Cost and Proportional-bias error for Genetic Identification of Chinook Salmon Life Histories from Upstream Rivers to the San Francisco Bay Estuary

#### **Review Form**


#### **Goals**

Are the goals, objectives and hypotheses clearly stated and internally consistent? Is the idea timely and important?

Comments	The goals and objectivesto develop a cheaper and potentially more reliable genetic marker for Chinook salmon phenotypesare reasonably clear, whereas the hypotheses are not well developed. The idea, as I perceive the proposal, is interesting. However, this was unquestionably the most poorly written proposal I have yet reviewed, and the scientific justification of the proposed research was, in my view, muddled.
Rating	fair

#### **Justification**

Is the study justified relative to existing knowledge? Is a conceptual model clearly stated in the proposal and does it explain the underlying basis for the proposed work? Is the selection of research, pilot or demonstration project, or a full–scale implementation project justified?



may be achievable, but not with 100% reliability if environmental factors influence this phenotype to any degree. An ID success rate of greater than 95%, which appears to be the desired outcome, requires an incredibly high degree of genetic penetration, i.e., a near-perfect match between genotype and phenotype. It is unclear whether this is likely to be the case. The conceptual model is not clearly stated, nor is the desired outcome of >95% ID success well justified. However, if SNP analysis can do as well or better than microsatellites at identifying phenotypes, and if it is cheaper, then the SNP approach is justified and therefore worth exploring.

Rating

## Approach

Is the approach well designed and appropriate for meeting the objectives of the project? Is the approach feasible? Are results likely to add to the base of knowledge? Is the project likely to generate novel information, methodology, or approaches? Will the information ultimately be useful to decision makers?

Comments	The approach is well designed, and the comparison of microsatellites with SNP markers at timing loci, to disentangle the effects of familial relationships and alleles related to timing, is very interesting.
Rating	very good

## **Feasibility**

Is the approach fully documented and technically feasible? What is the likelihood of success? Is the scale of the project consistent with the objectives and within the grasp of authors?

Comments	The approach is documented and appears feasible. The methods section appeared well researched, if poorly written.
Rating	good

# **Monitoring**

If applicable, is monitoring appropriately designed (pre-post comparisons; treatment-control comparisons)? Are there plans to interpret monitoring data or otherwise develop information?

Comments	The research will span multiple years of spawning behavior, to determine the long-term reliability of particular markers in identifying phenotypes.
Rating	very good

## **Products**

Are products of value likely from the project? Are contributions to larger data management systems relevant and considered? Are interpretive (or interpretable) outcomes likely from the project?

Comments	If the authors can find an equally (or more) reliable and less expensive genetic signature, and perhaps ultimately the genetic basis, of timing behavior in these fish, that will be well worth the funding. Management organizations will benefit by the ability to target particular genotypes for conservation.
Rating	very good

## **Additional Comments**

Comments	Again, this was the most poorly written
	proposal I have yet reviewed. It was clearly
	not proof-read. Run-on sentences, grammatical
	errors, typographical errors, sloppy

organization, and uninformative figure legends made the proposal very difficult to decipher.

# **Capabilities**

What is the track record of authors in terms of past performance? Is the project team qualified to efficiently and effectively implement the proposed project? Do they have available the infrastructure and other aspects of support necessary to accomplish the project?

		The authors have a strong record of funding in this
		area of research. The quality of the writing
	Comments	diminished their credibility, but I must assume, based
		on past funding and research success, that this was a
		fluke.
Rating		
		very good

## **Budget**

Is the budget reasonable and adequate for the work proposed?

Comments	Yes, will	the proposed project spans multiple years and require a long-term commitment.
Rating	very	good

#### Overall

Provide a brief explanation of your summary rating.

Comments	Finding a cheaper way to genetically identify Central Valley Chinook salmon phenotypes is worth exploring, and using SNPs in timing loci to do so provides a bonus opportunity to discover the genetic cause of phenotypic variation. I cannot give a high rating, however, because the writing of the proposal did not convince me that the authors have a strong handle on their objectives.
Rating	good

proposal title: SNPing the Cost and Proportional-bias error for Genetic Identification of Chinook Salmon Life Histories from Upstream Rivers to the San Francisco Bay Estuary

## **Review Form**

#### **Goals**

Are the goals, objectives and hypotheses clearly stated and internally consistent? Is the idea timely and important?

Comments	Goals and objectives of the project are described somewhat poorly. The proposal is disorganized and difficult to read. No hypotheses are formulated, but as the main objectives are choosing useful genetic markers and using these to discriminate individual chinook salmon from different runs, it is not clear what biologically meaningful hypotheses would be. Still, setting up null hypotheses for statistical testing could be useful for framing the objectives and methods.
Rating	fair

### **Justification**

Is the study justified relative to existing knowledge? Is a conceptual model clearly stated in the proposal and does it explain the underlying basis for the proposed work? Is the selection of research, pilot or demonstration project, or a full–scale implementation project justified?

<b>—</b>	
Comments	The study follows work that has been done in the
	primary author's lab and in other labs in developing
	genetic markers with enough variability to allow
	reasonably accurate identification of individual fish
	from different runs. One of the proposed ideas, to
	examine single nucleotide polymorphisms (SNPs) linked
	to clock genes that might actually be involved in
	phenotypic divergence between the runs, seems like a

	fascinating and promising avenue of research. A conceptual model for the proposed research is not well
	described, and presentation of background information
	is neither well organized nor clear. As the proposed
	tasks are to be performed sequentially, with each task
	building upon the previous, full-scale implementation
	seems warranted.
Rat	ing fair

## **Approach**

Is the approach well designed and appropriate for meeting the objectives of the project? Is the approach feasible? Are results likely to add to the base of knowledge? Is the project likely to generate novel information, methodology, or approaches? Will the information ultimately be useful to decision makers?

Comments	important is accurate run identification to management at this point? They mention that in the Feather River, differences in run timing have collapsed to a near-continuous arrival of individuals from early September through October. What is the biological significance of this, in terms of recruitment (and thus management)? More justification for the study is needed.
Rating	fair

## **Feasibility**

Is the approach fully documented and technically feasible? What is the likelihood of success? Is the scale of the project consistent with the objectives and within the grasp of authors?

Comments	The approach is not well documented, making feasibility difficult to assess. Methods are not described in sufficient detail. Background information is described poorly.
Rating	poor

## **Monitoring**

If applicable, is monitoring appropriately designed (pre-post comparisons; treatment-control comparisons)? Are there plans to interpret monitoring data or otherwise develop information?

Comments	Not	applicable.
Rating		
1100000	not	applicable

#### **Products**

Are products of value likely from the project? Are contributions to larger data management systems relevant and considered? Are interpretive (or interpretable) outcomes likely from the project?

Comments

The main product would be a suite of loci to be used for discriminating individuals from different runs. As mentioned above, the proposal does not describe the importance of this product for management very well, so it is difficult to determine just how useful this product would be. If they are indeed able to identify clock gene SNPs that are linked to differences in run timing, then this would be a very exciting and potentially very useful tool in the study of phenotypic divergence in many different salmon populations. But without more information about the importance of distinguishing these runs for management in the San Francisco Bay populations of chinook, it is

	ard to ki	now how useful	this project would	be for
Rating	air			

## **Additional Comments**

Comments

# **Capabilities**

What is the track record of authors in terms of past performance? Is the project team qualified to efficiently and effectively implement the proposed project? Do they have available the infrastructure and other aspects of support necessary to accomplish the project?

Comments	The principal investigators' publication records suggest that they are qualified to carry out the proposed research. Both appear to have extensive experience with microsatellites, less so with SNPs. Based on the quality of the proposal, I have reservations about their ability to 'efficiently and effectively' implement the proposed research and turn it into a product that would be useful to CalFED. They likely have the necessary infrastructure at OSU.
Rating	fair

# **Budget**

Is the budget reasonable and adequate for the work proposed?

Comments	As the authors mention in the proposal, this kind of work is expensive. Given that, the proposed budget seems reasonable and well justified.
Rating	good

# Overall

Provide a brief explanation of your summary rating.

Comments	The proposal is disorganized, incomplete, poorly written, and full of spelling and grammatical errors. In fact it is so bad that I cannot help but wonder if they accidentally submitted an early rough draft instead of the final one. If this is the case, perhaps they should resubmit it. If not, and the quality of the proposal reflects the quality of the products that will be submitted to CalFED, then I would not fund this proposal.
Rating	poor

proposal title: SNPing the Cost and Proportional-bias error for Genetic Identification of Chinook Salmon Life Histories from Upstream Rivers to the San Francisco Bay Estuary

## **Review Form**

#### **Goals**

Are the goals, objectives and hypotheses clearly stated and internally consistent? Is the idea timely and important?

The goals, objectives, and hypotheses are very clearly stated. This proposal intends to add to the arsenal of microsatellite loci that are available for genotyping and population assignment of salmonids by characterizing nucleotide polymorphisms within a series of genes that are associated with the seasonal reproductive timing phenotype. It has long been known that timing of reproduction is a heritable phenotype in salmonids, and a number of microsatellites are known to be linked to one or more of these quantitative trait loci in rainbow trout. Now it appears that more detailed genomic information is Comments available, and Dr. Banks and Dr. Bucklin intend to use these genes as non-neutral representative markers of the reproductive timing/run phenotype so that lineages which have been recognized in the past as distinct can continue to be managed as distinct lineages. The part of this proposal that is most interesting is that there is a growing acceptance, I hope, for the use of non-neutral markers in conservation genetics; if we know that a lineage has responded differentially to some selective pressure, or that there is a marker that unambiguously identifies a particular phenotype, there is no reason not to use this to better understand the evolution of that phenotype. Rating


#### **Justification**

Is the study justified relative to existing knowledge? Is a conceptual model clearly stated in the proposal and does it explain the underlying basis for the proposed work? Is the selection of research, pilot or demonstration project, or a full–scale implementation project justified?

Comments	Yes, the primary rationale for improving the genotyping ability is that mis-characterization of fish may lead to proportionally large errors when seasonal runs of very different sizes are compared. The hope is that not only will the probability of correct assignment increase with additional markers, but that their tie to genetic loci associated with spawning/run time will lead to diagnostic or near-diagnostic markers and assays. The basis for the proposed work is clear, and the selection of research populations is justifiable.
Rating	excellent

# **Approach**

Is the approach well designed and appropriate for meeting the objectives of the project? Is the approach feasible? Are results likely to add to the base of knowledge? Is the project likely to generate novel information, methodology, or approaches? Will the information ultimately be useful to decision makers?



	in other species as well; it is not clear how much transspecific polymorphism there is at these loci from this proposal, so that may not be feasible.
Rating	very good

## **Feasibility**

Is the approach fully documented and technically feasible? What is the likelihood of success? Is the scale of the project consistent with the objectives and within the grasp of authors?

Comments The approach is not fully documented, in fact this proposal is in many places not completely written or edited. While I am not doubting the capability of the proposers, and it is technically feasible with a high likelihood of success, there is much information NOT given about how these SNPs are identified, screened, etc. from the sequence data that is available. What genetic data is presented is often un-rooted and poorly presented, and the very basic run phenograms that are presented for their SNP data, mitochondrial DNA data, MHC sequence data, microsats, allozymes etc. either completely ignore intraspecific variation in the actual sampling, or do not express how much intraspecific variation is within each group. It is very difficult to evaluate the "deeper branch lengths" when there are only 4 branches; more appropriate would be to express this as corrected distances (it is not clear if this is what is intended) or to evaluate the probability of co-assignment for all individuals as with some Bayesian assignment methods. I know that one of the proposers is an expert in statistical genotypic assignment tests, but I think the proposal itself leaves a lot to be desired. I know enough about genetics and these tests to understand what is probably intended, but I would not be surprised if another reviewer is puzzled by the gaps left here. It does certainly seem that success is likely since they are already funded to resolve SNPs for Chinook salmon, which leaves open the question of why so much

addit	tional funding	is	requested.
Rating			

## **Monitoring**

If applicable, is monitoring appropriately designed (pre–post comparisons; treatment–control comparisons)? Are there plans to interpret monitoring data or otherwise develop information?

Comments	I think once the loci are identified, the proper approach is being taken to ensure the best set of loci will be used for system-wide run ID usage.
Rating	excellent

#### **Products**

Are products of value likely from the project? Are contributions to larger data management systems relevant and considered? Are interpretive (or interpretable) outcomes likely from the project?

## Comments It is unclear how applicable this data will be beyond Chinook salmon; while a valuable approach in and of itself, I think other species will probably have to go back to the 'clock gene' sequence data and reinvent the wheel with SNPs. In some cases, microsatellite loci that do crossamplify in salmonid species are known to be linked to QTL loci responsible for reproductive timing, and a full comparative analyses should probably be done at some point to determine which is the most cost-effective program for funding to be applied to. The overall product FOR Chinook salmon proposed here is, however, state-of-the-art and should dramatically improve assignment of individuals to distinct runs. More information on the heritability of these traits will be available by comparing linked vs. unlinked loci to see what genealogical patterns underlie these phenotypes. It is still unclear to me (from this proposal, anyway) whether there is an

	environmental determinant combined with historical
	isolation of lineages that has led to the different
	run times, or if it is an inborn switch completely
	associated with these genes. The family group
	assessment proposed on page 13 will help answer these
	questions, leading to interesting answers for
	evolutionary biology in general as well as the
	conservation and management community.
Rating	ovgollon+

## **Additional Comments**

	Again, the proposal was poorly written, syntactically wrong in places, and in at least two spots an "x" was left in in place of the actual value that was supposed to be pasted in. We've all done this, but there are enough errors left into this proposal that it makes me question it, though the science appears to be
Comments	valid and well-designed otherwise.  On page 8 of the executive summary, for example, it concludes with what is probably a comment to themselves "Give additional comments, information, etc. here". Most of the sentences on this page are not complete.

# **Capabilities**

What is the track record of authors in terms of past performance? Is the project team qualified to efficiently and effectively implement the proposed project? Do they have available the infrastructure and other aspects of support necessary to accomplish the project?

Comments	Dr. Michael Banks has an excellent track record in publishing and management advances, in particular with the development of assignment test software and theoretical advances. They clearly have the infrastructure and expertise to carry out this project.
Rating	

very good

### **Budget**

Is the budget reasonable and adequate for the work proposed?

Comments Frankly, given that the genes are already characterized and they are at the stage of PCR and genotyping optimization, the budget seems excessive at first glance. The ultimate, optimized cost of genotyping individuals should be around 0.08 per locus (their estimate; ABI was talking over a year ago about methods to genotype 96 loci at once for even less per-locus expenditure); at 48 loci and 3000 individuals, that is only going to cost about \$12,000.

> While travel funds seem appropriate, and the expenditure for the ABI 3730xl is entirely justified enabling not just the genotyping, which could be done off-site in a high throughput facility, but the rapid screening of PCR optimization attempts. This is typically the most laborious and time-consuming step in going from a screen of genomic products to successful genotyping, and having this machine in their facility will dramatically improve their odds on this project plus is an investment for future projects that will pay off in a high-throughput analysis of any populations being studied.

> However, the estimate of supplies and equipment still seems outrageous. I am a geneticist and would love to know how a budget of \$3000 per researcher per month is reached. Primer pairs, when labeled with a fluorescent dye, cost \$100 each; polymerase, once considered very expensive, can be purchased for only about 0.20 per unit (the amount needed, nominally, to run a PCR reaction; frequently we can pull this off in half-reactions too). The other reagents, since the genome has already been mostly characterized for the loci they are discussing, are relatively cheap. Little

if any cloning would need to be done, just assessment of polymorphism, reliability, and scoreability. In other words, lots of man-hours and very tedious work, but could be done for far less funding in my opinion. This is an incredibly valuable task that is being proposed, but we have limited funds for conservation and management and unless this is going to be more applicable to broader taxonomic use, I would think the money could be spread out a little thinner. Rating

#### Overall

Provide a brief explanation of your summary rating.

Comments	I'm torn. The science proposed could be valuable, evolutionarily interesting, and mark a real breakthrough in the genotypic assignment of salmonid seasonal runs. However, it is not clear from this proposal that the data is not essentially in hand, and so a much more modest funding could pay for the assessment of population status. I would recommend funding at a lower rate.
Rating	very good